

Large Mouldings - American White Oak

BOTANICAL NAME

Quercus alba

OVERVIEW

Available Grades:-

FAS/FAS 1FACE 80/20

83% of one face free of defect such as knots, wane and sap



Further Product Information

APPLICATIONS & USES

Furniture, construction, joinery – windows, internal doors, internal cladding, interior flooring and mouldings

DIMENSIONS

Large Mouldings (American White Oak)

- 12 x 70mm R2A Architrave
- 12 x 95mm R1A Skirting
- 15 x 70mm Ogee & Bead
- 15 x 95mm Ogee & Bead
- 15 x 95mm Ogee Skirting
- 15 x 120mm Ogee Skirting
- 15 x 145mm Ogee Skirting
- 20 x 69mm Bull Nosed
- 20 x 94mm Bull Nosed
- 20 x 69mm Torus Architrave
- 20 x 69mm Torus Architrave

- 20 x 144mm Torus/Ogee Skirting (Reversible)
- 20 x 169mm Torus/Ogee Skirting (Reversible)
- 20 x 67mm Dado Rail

ENVIRONMENTAL CREDENTIALS

Certification

FSC

Origin

North America

TECHNICAL INFORMATION

Physical Structure

Good strength properties

Durability

Durable

Moisture Content

8-10%

Working Qualities

Variable in working properties according to rate of growth, slow grown material provides a smooth finish. Stains and takes nails/screws

Supplied Finish

Machined to profile

Storage Advice

Product needs to be kept undercover in dry conditions

Stability

Stable for internal applications, although for external applications if timber is not acclimatised can have a tendency to swell due to low initial